Northwest Gastroenterology Clinic

ERCP (Endoscopic Retrograde Cholangiopancreatography) Preparation Instructions

One Week Before Your Procedure



• Notify our office if you have had any major changes to your health since you scheduled your procedure.



• Arrange for a ride home from a licensed adult. By law, if you receive sedation, you may not drive for the rest of the day after your procedure. You may walk or ride public transportation with an adult escort.



- If you take blood-thinner or anti-platelet medications, (ie. Plavix, Coumadin, Pradaxa) or any diabetic
 or weight loss medications (ie. Ozempic, Trulicity) please call our office if you have not received
 special instructions.
- Continue taking all other medications, unless instructed by your physician or our nursing staff.




Stop taking: Fish oil

Northwest Gastroenterology Clinic

ERCP (Endoscopic Retrograde Cholangiopancreatography)

Preparation Instructions




1 Day Before Your Procedure

- If you take medications for diabetes, take 1/2 the dose of your diabetic medication(s) the day before your procedure.
- You will not take a dose the day of your procedure.

Day of Your Procedure


- No solid food after midnight.
- Clear liquids only. See our list of recommended clear liquids.
- No RED, ORANGÉ or PURPLE dyes.



- · Hold all other medications.
- DO NOT HAVE ANYTHING TO EAT OR DRINK TWO HOURS PRIOR TO ARRIVING. NO CHEWING GUM.
- Wear comfortable clothes, leave your valuables at home, and arrive on time at the designated location with any paperwork completed that we may have asked you to bring.
- Don't forget your photo ID and insurance card.

If you smoke or use chewing tobacco:

Do not smoke 24 hours prior to your procedure Do not use chewing tobacco 6 hours prior to your procedure



Northwest Gastroenterology Clinic How will I know if I am ready for my procedure?


You will be ready for your procedure when:



You have read through and followed all of the instructions.




You have arranged for your ride home, have all of your required paperwork, and have your photo id and insurance card.



COVID-19 Requirements:

- Face masks are optional. If you would prefer that staff on your care team wear a mask, please let us know when you check in for your appointment.
- If you have tested positive for COVID-19 in the 14 days before your procedure or are experiencing COVID-like symptoms, please call our office.



Northwest Gastroenterology Clinic Recommendations: Clear Liquid Diet

What is considered a clear liquid?

TIP: Hold a piece of newspaper or paper with print on it up to the liquid and try to read it, if you can see the words, the liquid is clear.







Okay to have	DO NOT HAVE
Water and mineral water	Milk or dairy drinks
Clear sports drinks- NO RED, ORANGE, or PURPLE	Coffee with cream
Apple juice	Orange juice
Black coffee-NO MILK OR CREAM	Grapefruit juice
Soda	Tomato juice
Yellow or Green Jello	Any solid foods
Popsicles- NO RED, ORANGE or PURPLE	
Chicken broth	

Northwest Gastroenterology Clinic What can I expect after my procedure?

After your procedure:







- The doctor will come and speak with you. Again, due to the medications, you may not remember the conversation with your doctor. We will provide you with **written discharge instructions** that will include the information the doctor reviews with you, along with photos from your exam and directions for contacting the office with any questions or concerns.
- If you have any polyps removed or biopsies taken, your results will be expected to be reviewed within 7-10 days of your procedure.
- If you are signed up for MyHealth you may have access to your results before your provider has an opportunity to review them. Our office will contact you if there are any concerns with your results. If your results are normal and you are not on Myhealth, you will receive your results by mail.

Recovery After Receiving Sedation

For the remainder of the day after your procedure, you will follow these instructions:

- Rest for the remainder of the day. You can resume normal activity the next day.
- · Resume a normal diet.
- Continue present medications- unless instructed otherwise by your doctor.
- Avoid driving, and operating any machinery and power tools.
- Avoid alcoholic beverages (including beer)
- Avoid making any important decisions or signing any legal documents
- Avoid any activity requiring alertness, good judgment, or good reflexes

Call our office, 503-229-7137, if you experience any new pain, nausea, bleeding, fever, or if you have any questions after your procedure.